

## COPPER ALLOY POWDER

### CUPRO NICKEL POWDER

Product: CNT

Characteristics	UOM	Test Method	Specification
<u>Sieve analysis:</u> +75 $\mu\text{m}$ -75+45 $\mu\text{m}$ - 45 $\mu\text{m}$	% % %	ASTM B-214	3 max Balance 60 – 80
<u>Chemical analysis:</u> Copper Nickel Tin	% % %	AAS	65 – 70 24 – 29 4 – 6

CNT Alloying of > 99.99 % high pure **copper, nickel and tin** ingots followed by air atomization, spherical shaped powder, used for the applications like Diamond tools, Powder Metallurgy parts, Sintering parts etc

*The data on this technical information sheet correspond with the current status of our knowledge and experience. The liability for the application and processing of our products lies with the buyer, and he is also responsible for observing any third party rights. We reserve the right to alter any product data as a result of technical progress or further developments in the manufacturing process.*

## MEPCO

Thirumangalam,  
Madurai  
PIN: 625706  
Tamilnadu, India  
Phone: + 91 4549 280599  
Fax: +91 4549 281273

E-mail: [info@mepco.co.in](mailto:info@mepco.co.in)  
Web: [www.mepco.co.in](http://www.mepco.co.in)

Edition: 09.03.2019  
Page 1 of 1