

ZINC FLAKE POWDER

Product: ZP 7512

Characteristics	UOM	Test Method	Specification
<u>Sieve analysis:</u> Passing thro 45µm	%	ASTM D-185	96 min
Non volatile matter	%	ISO-1247	99.5 min
D 50	µm	Malvern-2000	20 typical

ZP 7512 Zinc flake powder made out of super high pure zinc ingot of > 99.99 % purity, by atomization of molten Aluminium liquid, followed by wet ball milling, vacuum drying cum polishing process, specially designed lamellar flake powder for high performance anti-rust coatings, suitable for applications in paint and powder coatings; beneficial for lighter weight coating films with superior anti-rust properties particularly suitable for marine, automobiles and aviation industries applications

The data on this technical information sheet correspond with the current status of our knowledge and experience. The liability for the application and processing of our products lies with the buyer, and he is also responsible for observing any third party rights. We reserve the right to alter any product data as a result of technical progress or further developments in the manufacturing process.

MEPCO

Thirumangalam,
Madurai
PIN: 625706
Tamilnadu, India
Phone: + 91 4549 280599
Fax: +91 4549 281273

E-mail: info@mepco.co.in
Web: www.mepco.co.in

Edition: 09.03.2019
Page 1 of 1